

STRIPED SWEATER

DIFFICULTY =

YANR = [SOFT LINO](#) by Laines Du Nord 150 gr, col. 2 (cream); 100 gr, col. 11 (dark green); 100 gr. col. 22 (yellow); 50 gr. col. 20 (wisteria)

NEEDLES = 3 and 3.5 mm

OTHER = tapestry needle, pins, scissors



Difficulty lever: easy

SAMPLE

POINTS USED

Tubular st

Stocking st: RS rows: K; WS rows: P

1/1 rib st: * K1, P1 * rep from * to *. Next row: work sts as they appear.

Cast off with tapestry needle.

ABBREVIATIONS

st(s) = Stitch(es)

R = rows

RS = right side

WS = wrong side
SM = stitch marker
K = knit
P = purl
inc. = increase
dec = decrease
col. = color
rep = repeat

MEASURES

Size 40

Back and Front width: 40 cm
Total length: 50 cm
Sleeve length 46 cm

PROCEDURE

FRONT

With 3 mm and col. 22 (yellow), cast on. 100 st.
Work 2 rows in tubular st and 12 rows in 1/1 rib st (about 4 cm)
Change to 3.5 mm and work in stocking st changing colors following this sequence of strips:

2 rows in col. 22 (yellow)

6 rows in col. 11 (dark green)

2 rows in col.22 (yellow)

2 rows in col.2 (cream)

2 rows in col.20 (wisteria)

1 row in col.11 (dark green)

6 rows in col.2 (cream)

2 rows in col.20 (wisteria)

6 rows in col.2 (cream)

1 row in col.11 (dark green)

2 rows in col.20 (wisteria)

2 rows in col.2 (cream)

Repeat this sequence throughout the pull.

At 43 cm from the rib edge on RS row cast off 5 sts on both sides to form the shoulder.
After 2 rows cast off again 5 sts on each side [80 sts]

Work another 2 rows in stocking st. Change to 3.5 mm and work 7 rows in 1/1 rib st.
and 2 rows in tubular st. Cast off with a tapestry needle.

BACK

Work as for the Front.

SLEEVE (x 2)

With 3 mm needles and col. 22 (yellow) cast on 44 sts.

Work 2 rows in tubular st and 12 rows in 1/1 rib st (about 4 cm)

Change to 3.5 mm and work in stocking st changing colors following the same sequence of strips of the Front.

At the same time increase 1 st each side every 6 rows until the sleeve measure 42 cm from the rib edge. Cast off all sts.

Make the second sleeve.

FINISHING

With Right sides together sew the shoulders and neckline edge together on both sides. Sew the upper sleeve to the body; put together the central part from the upper sleeve and the shoulder seam. Adjust carefully the sleeve between the armholes. Use pins to avoid parts move while you are sewing those parts. Then take one strand and sew the sleeve side with an invisible sew. Repeat in the other side.

Finally, sew the underarms and sides.

Weave in all ends

PHOTOGALLERY



